



Pro Audio
Germany

PCS-J Series

4-acoustic.com

PCS-110J | PCS-112J



PCS-110J | PCS-112J

PCS-110J | PCS-112J

The PCS-J loudspeaker series is primarily designed for the Asian KTV market. The PCS-J series loudspeakers consist of two models: PCS-110J and PCS-112J in its portfolio. It utilizes a totally newly designed 100° x 40° KTV horn with optimized 1" waveguide, equipped with rich clear sound out to 20 KHz reproducing neodymium driver. The woofers maintain newly designed die-cast chassis and newly formulated paper cone. The specially formulated cone pulp allows this driver to give a warm and smooth response throughout the bass frequency range. The PCS-J Series is the ideal Karaoke loudspeaker system to provide transparent and natural treble, warm and smooth mid-frequency, and powerful bass for clear and elastic drum sounds. Totally nineteen M8 suspension points and a 35 mm pole socket offer a wide range of installation and hanging possibilities in vertically or horizontal orientation.

PCS-110J GS1 (EAN) CODE: 4260318511780

PCS-112J GS1 (EAN) CODE: 4260318511797

SPECIFICATION

Model Name	PCS-110J	PCS-112J
GS1 (EAN) CODE	4260318511780	4260318511797
System Type	1x10" + 1" KTV Speaker	1x12" + 1" KTV Speaker
Power Rating	300 W AES 600 W program 1200 W peak	350 W AES 700 W program 1400 W peak
Frequency Range (- 10 dB)	49 Hz - 20 kHz	41 Hz - 20 kHz
Coverage Pattern (hvx)	100°x40°	100°x40°
Sensitivity	99 dB 1w/1m	102 dB 1w/1m
Maximum SPL	128 dB	133 dB
Suspension/Mounting	35 mm pole socket 19 x M8 suspension VSL mounting base	35 mm pole socket 19 x M8 suspension VSL mounting base
Nominal Impedance	8 Ohm	8 Ohm
Input Connectors	2 x Neutrik NL4 Socket parallel 1+/1-	2 x Neutrik NL4 Socket parallel 1+/1-
Dimensions (h/w/d)	550x330x313 mm	630x385x342 mm
Net weight	18,5 kg	23,8 kg



Pro Audio
Germany

INLINE Marketing GmbH
Bunsenstrasse 32
59229 Ahlen, Germany

4-acoustic.com